



INS gene

insulin

Normal Function

The *INS* gene provides instructions for producing the hormone insulin, which is necessary for the control of glucose levels in the blood. Glucose is a simple sugar and the primary energy source for most cells in the body.

Insulin is produced in a precursor form called proinsulin, which consists of a single chain of protein building blocks (amino acids). The proinsulin chain is cut (cleaved) to form individual pieces called the A and B chains, which are joined together by connections called disulfide bonds to form insulin.

Health Conditions Related to Genetic Changes

permanent neonatal diabetes mellitus

At least 10 mutations in the *INS* gene have been identified in people with permanent neonatal diabetes mellitus. Individuals with this condition often have a low birth weight and develop increased blood sugar (hyperglycemia) within the first 6 months of life.

INS gene mutations that cause permanent neonatal diabetes mellitus change single protein building blocks (amino acids) in the protein sequence. These mutations are believed to disrupt the cleavage of the proinsulin chain or the binding of the A and B chains to form insulin, leading to impaired blood sugar control.

type 1 diabetes


other disorders

Mutations in the *INS* gene can also cause other disorders involving insulin production and blood sugar control. Some individuals with *INS* gene mutations have increased levels of proinsulin in their blood (hyperproinsulinemia) and may also have impaired blood sugar control. *INS* gene mutations are also associated with a disorder called maturity-onset diabetes of the young (MODY). This term refers to hereditary forms of relatively mild diabetes mellitus caused by changes in single genes.

Chromosomal Location

Cytogenetic Location: 11p15.5, which is the short (p) arm of chromosome 11 at position 15.5

Molecular Location: base pairs 2,159,779 to 2,161,209 on chromosome 11 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- IDDM2
- ILPR
- INS_HUMAN
- insulin preproprotein
- IRDN
- MODY10
- proinsulin

Additional Information & Resources

Educational Resources

- The Genetic Landscape of Diabetes (NCBI, 2004): Insulin Synthesis
<https://www.ncbi.nlm.nih.gov/books/NBK1671/#A622>

GeneReviews

- Permanent Neonatal Diabetes Mellitus
<https://www.ncbi.nlm.nih.gov/books/NBK1447>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28INS%5BTI%5D%29+OR+%28insulin%5BTI%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+review%5Bpt%5D+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

OMIM

- INSULIN
<http://omim.org/entry/176730>
- MATURITY-ONSET DIABETES OF THE YOUNG, TYPE 10
<http://omim.org/entry/613370>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_INS.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=INS%5Bgene%5D>
- HGNC Gene Family: Endogenous ligands
<http://www.genenames.org/cgi-bin/genefamilies/set/542>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=6081
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/3630>
- UniProt
<http://www.uniprot.org/uniprot/P01308>

Sources for This Summary

- Boesgaard TW, Pruhova S, Andersson EA, Cinek O, Obermannova B, Lauenborg J, Damm P, Bergholdt R, Pociot F, Pisinger C, Barbetti F, Lebl J, Pedersen O, Hansen T. Further evidence that mutations in *INS* can be a rare cause of Maturity-Onset Diabetes of the Young (MODY). *BMC Med Genet*. 2010 Mar 12;11:42. doi: 10.1186/1471-2350-11-42.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20226046>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2848224/>
- Edghill EL, Flanagan SE, Patch AM, Boustred C, Parrish A, Shields B, Shepherd MH, Hussain K, Kapoor RR, Malecki M, MacDonald MJ, Støy J, Steiner DF, Philipson LH, Bell GI; Neonatal Diabetes International Collaborative Group, Hattersley AT, Ellard S. Insulin mutation screening in 1,044 patients with diabetes: mutations in the *INS* gene are a common cause of neonatal diabetes but a rare cause of diabetes diagnosed in childhood or adulthood. *Diabetes*. 2008 Apr;57(4):1034-42. Epub 2007 Dec 27.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18162506>
- OMIM: INSULIN
<http://omim.org/entry/176730>
- Liu M, Haataja L, Wright J, Wickramasinghe NP, Hua QX, Phillips NF, Barbetti F, Weiss MA, Arvan P. Mutant *INS*-gene induced diabetes of youth: proinsulin cysteine residues impose dominant-negative inhibition on wild-type proinsulin transport. *PLoS One*. 2010 Oct 11;5(10):e13333. doi: 10.1371/journal.pone.0013333. Erratum in: *PLoS One*. 2010;5(10) doi: 10.1371/annotation/6d5e12f2-defc-48b5-84f6-43253f593a2a.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20948967>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2952628/>
- Liu M, Hodish I, Haataja L, Lara-Lemus R, Rajpal G, Wright J, Arvan P. Proinsulin misfolding and diabetes: mutant *INS* gene-induced diabetes of youth. *Trends Endocrinol Metab*. 2010 Nov;21(11):652-9. doi: 10.1016/j.tem.2010.07.001. Epub 2010 Aug 18. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20724178>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2967602/>
- Molven A, Ringdal M, Nordbø AM, Raeder H, Støy J, Lipkind GM, Steiner DF, Philipson LH, Bergmann I, Aarskog D, Undlien DE, Joner G, Søvik O; Norwegian Childhood Diabetes Study Group, Bell GI, Njølstad PR. Mutations in the insulin gene can cause MODY and autoantibody-negative type 1 diabetes. *Diabetes*. 2008 Apr;57(4):1131-5. doi: 10.2337/db07-1467. Epub 2008 Jan 11.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18192540>
- Polak M, Dechaume A, Cavé H, Nimri R, Crosnier H, Sulmont V, de Kerdanet M, Scharfmann R, Lebenthal Y, Froguel P, Vaxillaire M; French ND (Neonatal Diabetes) Study Group. Heterozygous missense mutations in the insulin gene are linked to permanent diabetes appearing in the neonatal period or in early infancy: a report from the French ND (Neonatal Diabetes) Study Group. *Diabetes*. 2008 Apr;57(4):1115-9. doi: 10.2337/db07-1358. Epub 2008 Jan 2.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18171712>
- Rubio-Cabezas O, Klupa T, Malecki MT; CEED3 Consortium. Permanent neonatal diabetes mellitus--the importance of diabetes differential diagnosis in neonates and infants. *Eur J Clin Invest*. 2011 Mar;41(3):323-33. doi: 10.1111/j.1365-2362.2010.02409.x. Epub 2010 Nov 4. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21054355>

- Støy J, Edghill EL, Flanagan SE, Ye H, Paz VP, Pluzhnikov A, Below JE, Hayes MG, Cox NJ, Lipkind GM, Lipton RB, Greeley SA, Patch AM, Ellard S, Steiner DF, Hattersley AT, Philipson LH, Bell GI; Neonatal Diabetes International Collaborative Group. Insulin gene mutations as a cause of permanent neonatal diabetes. *Proc Natl Acad Sci U S A*. 2007 Sep 18;104(38):15040-4. Epub 2007 Sep 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17855560>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1986609/>
 - Støy J, Steiner DF, Park SY, Ye H, Philipson LH, Bell GI. Clinical and molecular genetics of neonatal diabetes due to mutations in the insulin gene. *Rev Endocr Metab Disord*. 2010 Sep;11(3):205-15. doi: 10.1007/s11154-010-9151-3. Review. Erratum in: *Rev Endocr Metab Disord*. 2012 Mar;13(1):79-81.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20938745>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2974937/>
 - Weiss MA. Proinsulin and the genetics of diabetes mellitus. *J Biol Chem*. 2009 Jul 17;284(29):19159-63. doi: 10.1074/jbc.R109.009936. Epub 2009 Apr 24. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19395706>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2740536/>
-

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/INS>

Reviewed: March 2013
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services